

HEAVY DUTY UHMW WHEEL ON STAINLESS STEEL CASTOR

PLATE TYPE

ISO 9001 : 2000 Certified Organisation



Swivel





Fix



Brake

HEAVY DUTY CASTOR (BRACKET)


Heavy Duty Welded Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head. Additionally reinforced by the integration of four specially shaped & harness bearing sets. Lubrication swivel head sealing with grease nipple, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.

Model No.								
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	Dynamic (Kg)	Static (Kg)
HDUHMW/5025/SSPLS	50	20	75 x 60	60 x 30	6	85	75	88
HDUHMW/6525/SSPLS	65	25	75 x 65	54 x 43	6	100	85	100
HDUHMW/7525/SSPLS	75	25	75 x 65	54 x 43	6	117	95	125
HDUHMW/7532/SSPLS	75	32	75 x 75	55 x 55	9	117	145	188
HDUHMW/7538/SSPLS	75	38	75 x 75	55 x 55	9	117	150	200
HDUHMW/10032/SSPLS	100	32	75 x 75	55 x 55	9	145	165	215
HDUHMW/10038/SSPLS	100	38	100 x 80	80 x 60	10	145	200	250
HDUHMW/10050/SSPLS	100	50	100 x 100	75 x 75	12	145	225	315
HDUHMW/12532/SSPLS	125	32	100 x 80	80 x 60	10	165	205	280
HDUHMW/12538/SSPLS	125	38	100 x 80	80 x 60	10	165	250	325
HDUHMW/12550/SSPLS	125	50	125 x 100	100 x 75	12	165	295	400
HDUHMW/15038/SSPLS	150	38	125 x 100	100 x 75	12	195	315	450
HDUHMW/15050/SSPLS	150	50	125 x 100	100 x 75	12	195	375	500
HDUHMW/20050/SSPLS	200	50	125 x 125	100 x 100	12	255	500	550
HDUHMW/25050/SSPLS	250	50	150 X 150	125 X 125	14	310	800	900
HDUHMW/30050/SSPLS	300	50	150 X 150	125 X 125	14	350	900	1050

PIN TYPE



Swivel



Fix

HEAVY DUTY CASTOR (BRACKET)

Heavy Duty Welded Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head. Additionally reinforced by the integration of four specially shaped & harness bearing sets. Lubrication swivel head sealing with grease nipple, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.



Brake

Model No.							Dynamic (Kg)	Static (Kg)
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)		
HDUHMW/5025/SSPIS	50	20	22	50	-	85	75	88
HDUHMW/6525/SSPIS	65	25	22	50	-	100	85	100
HDUHMW/7525/SSPIS	75	25	22	50	-	117	95	125
HDUHMW/7532/SSPIS	75	32	22	50	-	117	145	188
HDUHMW/7538/SSPIS	75	38	22	50	-	117	150	200
HDUHMW/10032/SSPIS	100	32	22	50	-	145	165	215
HDUHMW/10038/SSPIS	100	38	22	50	-	145	200	250
HDUHMW/10050/SSPIS	100	50	22	50	-	145	225	315
HDUHMW/12532/SSPIS	125	32	22	50	-	165	205	280
HDUHMW/12538/SSPIS	125	38	22	50	-	165	250	325
HDUHMW/12550/SSPIS	125	50	22	50	-	165	295	400
HDUHMW/15038/SSPIS	150	38	22	50	-	195	315	450
HDUHMW/15050/SSPIS	150	50	22	50	-	195	375	500
HDUHMW/20050/SSPIS	200	50	32	50	-	255	500	550
HDUHMW/25050/SSPIS	250	50	32	50	-	310	800	900
HDUHMW/30050/SSPIS	300	50	32	50	-	350	900	1050

HEAVY DUTY UHMW WHEEL ON STAINLESS STEEL CASTOR

STUD TYPE



Swivel



Fix



Brake

HEAVY DUTY CASTOR (BRACKET)

Heavy Duty Welded Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head. Additionally reinforced by the integration of four specially shaped & harness bearing sets. Lubrication swivel head sealing with grease nipple, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.

Model No.							Dynamic (Kg)	Static (Kg)
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)		
HDUHMW/5025/SSSTS	50	20	M 10	50	-	85	75	88
HDUHMW/6525/SSSTS	65	25	M 10	50	-	100	85	100
HDUHMW/7525/SSSTS	75	25	M 10	50	-	117	95	125
HDUHMW/7532/SSSTS	75	32	M 12	50	-	117	145	188
HDUHMW/7538/SSSTS	75	38	M 12	50	-	117	150	200
HDUHMW/10032/SSSTS	100	32	M 16	50	-	145	165	215
HDUHMW/10038/SSSTS	100	38	M 16	50	-	145	200	250
HDUHMW/10050/SSSTS	100	50	M 16	50	-	145	225	315
HDUHMW/12532/SSSTS	125	32	M 16	50	-	165	205	280
HDUHMW/12538/SSSTS	125	38	M 16	50	-	165	250	325
HDUHMW/12550/SSSTS	125	50	M 16	50	-	165	295	400
HDUHMW/15038/SSSTS	150	38	M 16	50	-	195	315	450
HDUHMW/15050/SSSTS	150	50	M 20	50	-	195	375	500
HDUHMW/20050/SSSTS	200	50	M 20	50	-	255	500	550
HDUHMW/25050/SSSTS	250	50	M 20	50	-	310	800	900
HDUHMW/30050/SSSTS	300	50	M 20	50	-	350	900	1050