

MEDIUM DUTY UHMW WHEEL ON STAINLESS STEEL CASTOR

PLATE TYPE



Swivel



Fix

MEDIUM DUTY CASTOR (BRACKET)

Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.



Brake

Model No.								
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	Dynamic (Kg)	Static (Kg)
MDUHMW/5025/SSPLS	50	20	75 x 50	60 x 30	6	75	45	65
MDUHMW/6525/SSPLS	65	25	75 x 65	54 x 43	8	90	55	75
MDUHMW/7525/SSPLS	75	25	75 x 65	54 x 43	8	105	65	80
MDUHMW/7532/SSPLS	75	32	75 x 75	55 x 55	9	105	95	140
MDUHMW/7538/SSPLS	75	38	75 x 75	55 x 55	9	105	100	145
MDUHMW/10032/SSPLS	100	32	75 x 75	55 x 55	9	135	105	155
MDUHMW/10038/SSPLS	100	38	100 x 80	80 x 60	10	135	130	185
MDUHMW/10050/SSPLS	100	50	100 x 100	75 x 75	10	135	155	225
MDUHMW/12532/SSPLS	125	32	100 x 80	80 x 60	10	155	140	190
MDUHMW/12538/SSPLS	125	38	100 x 80	80 x 60	10	155	165	200
MDUHMW/12550/SSPLS	125	50	125 x 100	100 x 75	12	155	200	280
MDUHMW/15038/SSPLS	150	38	125 x 100	100 x 75	12	185	220	300
MDUHMW/15050/SSPLS	150	50	125 x 100	100 x 75	12	185	250	325
MDUHMW/20050/SSPLS	200	50	125 x 125	100 x 100	12	245	280	375

MEDIUM DUTY UHMW WHEEL ON STAINLESS STEEL CASTOR

PIN TYPE



Swivel



Fix




Brake

MEDIUM DUTY CASTOR (BRACKET)

Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.

Model No.							Dynamic (Kg)	Static (Kg)
	(mm)	(mm)	(mm)	(mm)	(mm)			
MDUHMW/5025/SSPIS	50	20	22	50	-	75	45	65
MDUHMW/6525/SSPIS	65	25	22	50	-	90	55	75
MDUHMW/7525/SSPIS	75	25	22	50	-	105	65	80
MDUHMW/7532/SSPIS	75	32	22	50	-	105	95	140
MDUHMW/7538/SSPIS	75	38	22	50	-	105	100	145
MDUHMW/10032/SSPIS	100	32	22	50	-	135	105	155
MDUHMW/10038/SSPIS	100	38	22	50	-	135	130	185
MDUHMW/10050/SSPIS	100	50	22	50	-	135	155	225
MDUHMW/12532/SSPIS	125	32	22	50	-	155	140	190
MDUHMW/12538/SSPIS	125	38	22	50	-	155	165	200
MDUHMW/12550/SSPIS	125	50	22	50	-	155	200	280
MDUHMW/15038/SSPIS	150	38	22	50	-	185	220	300
MDUHMW/15050/SSPIS	150	50	22	50	-	185	250	325
MDUHMW/20050/SSPIS	200	50	32	50	-	245	280	375

STUD TYPE



Swivel



Fix

MEDIUM DUTY CASTOR (BRACKET)

Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.



Brake

Model No.							Dynamic (Kg)	Static (Kg)
	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)		
MDUHMW/5025/SSSTS	50	20	M 10	50	-	75	45	65
MDUHMW/6525/SSSTS	65	25	M 10	50	-	90	55	75
MDUHMW/7525/SSSTS	75	25	M 10	50	-	105	65	80
MDUHMW/7532/SSSTS	75	32	M 12	50	-	105	95	140
MDUHMW/7538/SSSTS	75	38	M 12	50	-	105	100	145
MDUHMW/10032/SSSTS	100	32	M 16	50	-	135	105	155
MDUHMW/10038/SSSTS	100	38	M 16	50	-	135	130	185
MDUHMW/10050/SSSTS	100	50	M 16	50	-	135	155	225
MDUHMW/12532/SSSTS	125	32	M 16	50	-	155	140	190
MDUHMW/12538/SSSTS	125	38	M 16	50	-	155	165	200
MDUHMW/12550/SSSTS	125	50	M 16	50	-	155	200	280
MDUHMW/15038/SSSTS	150	38	M 16	50	-	185	220	300
MDUHMW/15050/SSSTS	150	50	M 20	50	-	185	250	325
MDUHMW/20050/SSSTS	200	50	M 20	50	-	245	280	375