


HEAVY DUTY UHMW TWIN WHEEL ON STAINLESS STEEL CASTOR

30 ISO 9001 : 2000 Certified Organisation

PLATE TYPE



Swivel



Fix

HEAVY DUTY CASTOR (BRACKET)

Heavy Duty Welded Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head. Additionally reinforced by the integration of four specially shaped & harness bearing sets. Lubrication swivel head sealing with grease nipple, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.



Brake

| Model No. |  |  |  |  |  |  | Dynamic (Kg) | Static (Kg) |
|--------------------|---|---|---|--|---|---|--------------|--------------|
| | (mm) | (mm) | (mm) | (mm) | (mm) | (mm) | | |
| TWUHMW/5025/SSPLS | 50 | 25 + 25 | 75 x 75 | 55 x 55 | 9 | 90 | 150 | 180 |
| TWUHMW/6525/SSPLS | 65 | 25 + 25 | 75 x 75 | 55 x 55 | 9 | 105 | 170 | 200 |
| TWUHMW/7525/SSPLS | 75 | 25 + 25 | 75 x 75 | 55 x 55 | 9 | 120 | 188 | 225 |
| TWUHMW/7532/SSPLS | 75 | 32 + 32 | 100 x 100 | 75 x 75 | 10 | 120 | 288 | 345 |
| TWUHMW/7538/SSPLS | 75 | 38 + 38 | 100 x 100 | 75 x 75 | 10 | 120 | 300 | 356 |
| TWUHMW/10032/SSPLS | 100 | 32 + 32 | 100 x 100 | 75 x 75 | 10 | 150 | 325 | 400 |
| TWUHMW/10038/SSPLS | 100 | 38 + 38 | 100 x 100 | 75 x 75 | 10 | 150 | 400 | 480 |
| TWUHMW/10050/SSPLS | 100 | 50 + 50 | 100 x 100 | 75 x 75 | 10 | 155 | 438 | 530 |
| TWUHMW/12532/SSPLS | 125 | 32 + 32 | 100 x 100 | 75 x 75 | 10 | 180 | 415 | 500 |
| TWUHMW/12538/SSPLS | 125 | 38 + 38 | 100 x 100 | 75 x 75 | 10 | 180 | 500 | 600 |
| TWUHMW/12550/SSPLS | 125 | 50 + 50 | 150 x 100 | 100 x 75 | 12 | 180 | 590 | 720 |
| TWUHMW/15038/SSPLS | 150 | 38 + 38 | 125 x 100 | 100 x 75 | 12 | 210 | 625 | 750 |
| TWUHMW/15050/SSPLS | 150 | 50 + 50 | 150 x 100 | 100 x 75 | 12 | 210 | 750 | 900 |
| TWUHMW/20050/SSPLS | 200 | 50 + 50 | 150 x 125 | 100 x 100 | 12 | 265 | 1000 | 1250 |
| TWUHMW/25050/SSPLS | 250 | 50 + 50 | 150 x 150 | 125 x 125 | 12 | 325 | 1500 | 1650 |
| TWUHMW/30050/SSPLS | 300 | 50 + 50 | 150 x 150 | 125 x 125 | 12 | 370 | 1650 | 1950 |

HEAVY DUTY UHMW TWIN WHEEL ON STAINLESS STEEL CASTOR

PIN TYPE



Swivel









Fix

HEAVY DUTY CASTOR (BRACKET)

Heavy Duty Welded Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head. Additionally reinforced by the integration of four specially shaped & harness bearing sets. Lubrication swivel head sealing with grease nipple, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.



Brake

| Model No. |  |  |  |  |  |  | Dynamic (Kg) | Static (Kg) |
|--------------------|---|---|---|---|---|---|--------------|-------------|
| | (mm) | (mm) | (mm) | (mm) | (mm) | (mm) | | |
| TWUHMW/5025/SSPIS | 50 | 25 + 25 | 22 | 50 | - | 90 | 150 | 180 |
| TWUHMW/6525/SSPIS | 65 | 25 + 25 | 22 | 50 | - | 105 | 170 | 200 |
| TWUHMW/7525/SSPIS | 75 | 25 + 25 | 22 | 50 | - | 120 | 188 | 225 |
| TWUHMW/7532/SSPIS | 75 | 32 + 32 | 22 | 50 | - | 120 | 288 | 345 |
| TWUHMW/7538/SSPIS | 75 | 38 + 38 | 22 | 50 | - | 120 | 300 | 356 |
| TWUHMW/10032/SSPIS | 100 | 32 + 32 | 22 | 50 | - | 150 | 325 | 400 |
| TWUHMW/10038/SSPIS | 100 | 38 + 38 | 22 | 50 | - | 150 | 400 | 480 |
| TWUHMW/10050/SSPIS | 100 | 50 + 50 | 32 | 50 | - | 155 | 438 | 530 |
| TWUHMW/12532/SSPIS | 125 | 32 + 32 | 22 | 50 | - | 180 | 415 | 500 |
| TWUHMW/12538/SSPIS | 125 | 38 + 38 | 22 | 50 | - | 180 | 500 | 600 |
| TWUHMW/12550/SSPIS | 125 | 50 + 50 | 32 | 50 | - | 180 | 590 | 720 |
| TWUHMW/15038/SSPIS | 150 | 38 + 38 | 22 | 50 | - | 210 | 625 | 750 |
| TWUHMW/15050/SSPIS | 150 | 50 + 50 | 32 | 50 | - | 210 | 750 | 900 |
| TWUHMW/20050/SSPIS | 200 | 50 + 50 | 32 | 50 | - | 265 | 1000 | 1250 |
| TWUHMW/25050/SSPIS | 250 | 50 + 50 | 32 | 50 | - | 325 | 1500 | 1650 |
| TWUHMW/30050/SSPIS | 300 | 50 + 50 | 32 | 50 | - | 370 | 1650 | 1950 |

HEAVY DUTY UHMW TWIN WHEEL ON STAINLESS STEEL CASTOR


STUD TYPE



Swivel



Fix



HEAVY DUTY CASTOR (BRACKET)

Heavy Duty Welded Stainless Steel (AISI 304) construction, Swivel or Fix bracket with double ball bearing in the swivel head. Additionally reinforced by the integration of four specially shaped & harness bearing sets. Lubrication swivel head sealing with grease nipple, Argon Arc welded very strong, bolted and secured central king pin, bolted wheel axle with self locking nut.

| Brake |  |  |  |  |  |  |  |  |
|--------------------|---|---|---|--|---|---|---|---|
| Model No. | (mm) | (mm) | (mm) | (mm) | (mm) | (mm) | Dynamic (Kg) | Static (Kg) |
| TWUHMW/5025/SSSTS | 50 | 25 + 25 | M 12 | 50 | - | 90 | 150 | 180 |
| TWUHMW/6525/SSSTS | 65 | 25 + 25 | M 12 | 50 | - | 105 | 170 | 200 |
| TWUHMW/7525/SSSTS | 75 | 25 + 25 | M 12 | 50 | - | 120 | 188 | 225 |
| TWUHMW/7532/SSSTS | 75 | 32 + 32 | M 16 | 50 | - | 120 | 288 | 345 |
| TWUHMW/7538/SSSTS | 75 | 38 + 38 | M 16 | 50 | - | 120 | 300 | 356 |
| TWUHMW/10032/SSSTS | 100 | 32 + 32 | M 16 | 50 | - | 150 | 325 | 400 |
| TWUHMW/10038/SSSTS | 100 | 38 + 38 | M 16 | 50 | - | 150 | 400 | 480 |
| TWUHMW/10050/SSSTS | 100 | 50 + 50 | M 16 | 50 | - | 155 | 438 | 530 |
| TWUHMW/12532/SSSTS | 125 | 32 + 32 | M 16 | 50 | - | 180 | 415 | 500 |
| TWUHMW/12538/SSSTS | 125 | 38 + 38 | M 16 | 50 | - | 180 | 500 | 600 |
| TWUHMW/12550/SSSTS | 125 | 50 + 50 | M 16 | 50 | - | 180 | 590 | 720 |
| TWUHMW/15038/SSSTS | 150 | 38 + 38 | M 16 | 50 | - | 210 | 625 | 750 |
| TWUHMW/15050/SSSTS | 150 | 50 + 50 | M 20 | 50 | - | 210 | 750 | 900 |
| TWUHMW/20050/SSSTS | 200 | 50 + 50 | M 20 | 50 | - | 265 | 1000 | 1250 |
| TWUHMW/25050/SSSTS | 250 | 50 + 50 | M 20 | 50 | - | 325 | 1500 | 1650 |
| TWUHMW/30050/SSSTS | 300 | 50 + 50 | M 20 | 50 | - | 370 | 1650 | 1950 |